







Republic of the Philippines CAMARINES NORTE STATE COLLEGE F. Pimentel Avenue, Brgy. 2, Daet, Camarines Norte

OFFICE OF THE BAC CHAIRPERSON FOR GOODS AND SERVICES

May 16, 2022

ADDENDUM NO. 1 Series of 2022 SUPPLY AND DELIVERY OF FABLAB OFFICE EQUIPMENT

This Addendum No. 1 for the project Supply and Delivery of FABLAB Office Equipment is being issued in accordance with Revised IRR of R.A. 9184 specifically Section 22.5.2 & 22.5.3

This is to inform the prospective bidders of the <u>corrected schedule of</u> requirements and technical specification. Also the corrected delivery period is 90 calendar days. Such is reflected in the Bidding Documents under Section VI – Schedule of Requirements and Section VII – Technical Specification.

This Addendum shall form integral part of the Bid documents.

ROSALIE A. ALMADRONES, Ph.D. BAC Chairperson for Goods and Services

Annex A - Supply and Delivery of FABLAB Office Equipment

em lo.	Description	Quantity	Unit of Measure	Unit Cost	Total Cost
	CNC Router with complete accessories and software		set	2,200,000.00	2,200,000.00
	Processing Area: at least 680 x 1650 mm				
	Standard Gantry Clearance: 152mm or higher	and our market			
	Control system: Machine Controller, easy to learn, touch screen	in the same of the			
	friendly user interface, Support for up to four axis continous machining,			1	
- Here	intuitive conversational programming, Built-in recommended speeds				
_	and teeds calculator, 80gb program memory, Built-in Dropbox support				Indiana de la companya de la company
	for seamlessly transferring programs				
111	XYZ Axis travel: at least 625x1415x170mm				
	Resolution: 0.006 mm				
-	Reapetability: ±0.02mm				
	Position Accuracy: ±0.167 mm/m				
	Table Type: Integrated Vacuum Table	-			
-	Speed: Up to 24000 RPM				
	Spindle Type: Electrospindle, 2HP/1.5kW				
	Spindle Taper: ER-20	-			
	Linear Motion: Ballscrew and Stepper Diver, Precision Linear Guideway				
-	Max Feed Rate: 5.0m/min				
-	Solid Machine base: A raid, welded steel stand, Machine base cast Iron,				
-	litted with an aluminum gantry, creates a strong structure to support				
	The most demanding processes				
	Should not be modular or to be assembled on site - should be welded		-		
	in the factory		-		
	Cooling type: Water-cooled (Chiller included)				
	Cooling type. Water-cooled (Crimer incloded)				
	Power Requirements: Single-phase 115 Vac, 50/60 Hz, 15A breaker with				
	AVR				
	Package Inclusion:		-		
	1 unit Machine controller				
	1 set Standard Height Adjustable Machine Foot		-		
	1 unit Dust Collector - 1 HP Dust Collector with 370mm bag, Cartridge		Contraction of		
100	Filter, Dust Collection Hose				
	1 unit Vacuum Hold Down System - 200CFM, 9.5-10 inHg Sealed				
	Vacuum, 2" Threaded Steel Intake Port, Dimension: 18.5 in x 17.5 in,	I marine and			
-	NEMA 6-20P Plug, Single Phase 220-240 VAC/20 Amps				
	5 sets Cutting Tool kit - 10 pieces kit/set for sign making, 3D carving,				
-	V-carving and working with flat sheet materials				
					4
	1 pc Spring-loaded CNC Drag Knife - 45' Carbide blade for cutting sign				
-	vinyl that fits any 1/4" collect				
					1
	1 set Controller Peripherals - includes Touch screen monitor, waterproof				
-	Leaves watergraf mini keyboard, jog shuttle Controller			Annual Control	
1	1 set Controller arm - an adjustable swing arm keeps your machine's		Paper property		
	controls within easy reach				
u ion	- Linear of CAM software - Features: Ability to import 2D vector			A Company	
0	files and bitmap images, complete set of 2D Design and Layout tools.	-			
	files and bitmap images, complete set of 20 besign and corporation of the single 3D model files (STL, OBJ, 3DM, SKP etc.) Import multiple	1			
	Import single 3D model files (STL, OBJ, SDIM, SKI ETC.) Import single	1			
	Vectric 3D clipart files, 2D	-	-	1	
	Toolpaths: Profiling, Pocketing, Drilling, Inlays and Quick Engraving.	-			T
-	2.5D Toolpaths: V-Carving, Prism Carving, Moulaings, Texture and	-	-		1
-	E E 20 Machining				-
0	Initial Consumables: 20 pcs. 4x4 Plywood, 20pcs 4x4 MDF Wood				
		1	1		1
	Additional Inclusion: TV Screen, Size: 42 inch, Complete set of repair tools				
	Additional inclusion:				
	Other Inclusion:				
	Certificate of Distributorship: Attached Certificate of Authority to sell issued	t			
	Certificate of Distributorship: Attached Certificate of Distributorship:				
	the magnifacturer or local Distributor/Reseller	_			
-	Iraining Availability: Attached training certificate provided by	i			
	manufacturer's	_			1
-					
	Training and Installation: 2 days onsite training and installation for at				
1	Hrdining and installation, 2 007.		1	The second secon	

Warran	nty: 12 months warranty for parts and services				
After S	tale Support: Attached after-sale Support certificate issued by the			, is 5	
manuf	facturer that the supplier has capability to do after sales support				
after v	warranty. Attached certification of parts availability issued by the				
manuf	facturer for the project				
Delive	ery Lead Time: Onsite delivery, installation, and commisioning at				
	ct location, within 90 days upon received of Notice of Proceed		-		
	held 3D Scanner (with complete set of repair tools)	1	рс	650,000,00	650.000.00
	ner Type: Handheld, hand-held 3D scanner, meant to capture				
media	um and large objects. With Built-in touchscreen for ease-if-use				
during	g scanning				
3D pc	oint accuracy: up to 0.1 mm				
	esolution: up to 0.6mm Dept of view: 45-95 cm, Field of				
view:	: min. 280x360mm max of 4900x650mm				
3D lig	ght source: White LED				
	re Resolution: 2.3 mp				
Fram	ne Rate: 25-30 fps				
	or Field of View HxW @ closest range: 280x360mm				
	or Field of View HxW @ furthest range: 490x650mm				
	a Acquisition speed up to: 3 M point/sec				
The same of the sa	ti core processing: Yes				
	Formats; OBJ, PLY, STL, etc.				
	rface: Built in touchscreen - 4 inches				
	king Modes: Geometric, Markers, Texture				
- Inde	Lang Modes. Geometre, Markers, Tarib				
1000	pable of Scanning: black surface, glossy objects, sharp edges, Human				
hair		-			
	ight: 0.9 kg (1.9lb) or equivalent			A allow the minutes of	
Mei	nensions: 165x85x274mm or equivalent			Mary Company Company	Citizen and
Dim	Tensions. 160x80x274mm of equivalent			- 11	
SOF	tware: include license operating software that can holes, simplify the	Samuel Comment			
301	esh, apply texture			Contract of the	
Por	ckage inclusion: (with complete accessories)		F CASS		
117	Calibration Board				
Production of the Contract of	Sofware	In the second			
	Carry Case				
104	har lacturion:			None and the	
Co	extificate of Distributorship: Attached Certificate of Authority to sell		-		The second second
lico	ued by the manufacturer or local Distributor/Reseller	-	diamental district		
Iro	pining Availability: Attached training certificate provided by anufacturer's				-
1000			Annual Control		
manager and the fact	ertified frainer				
	aning and installation: 2 days onsite training and installation for at least				
10 -	- mannel				
2 5	personnel arranty: 12 months warranty for parts and services				
The state of the s		1		1	
44	ter sale support: Attached after sales support certificate issued by the				
- 1	anufacturer that the supplier has the capability to do after sales		-		-
		1			
	pport after warranty, Attached certification of parts availability issued	_	-	-	
		4			
Dy	y the manufacturer for the project elivery Lead Time: Onsite delivery, installation and commisioning at		-		
	with an deut upon received of Notice to Proceed			2000 000 000	200,000
	an Balator (I steet Model) Will Complete set of the	1	pc	200,000.00	200.000
3 FD	om 3D Printer (Latest Moder) Williams (Independence dual extruders)		-		
	druder type: IDEA (Independent				+
EX	inting Precision: ±0.2mm uild Volume: at least 300x250x200mm				-
0.4					
Pri	uild Volume: at least 300x250x200mm				
Pri Bu	int Speed: at least 300x250x200mm				-
Pri Bu Pri	rint Speed: at least 300x250x200mm xtruder Temp: 320c				
Pri Bu Pri Ex	rint Speed: at least 300x250x200mm xtruder Temp: 320c ed Temp: 120c				
Pri Bu Pri Ex Be	rint Speed: at least 300x250x200mm xtruder Temp: 320c				

	- Westerdament & offer roles (upport)			T	
10	other Inclusion: Supplier's certification(warranty & after-sales support)				
1	raning and installation: 2 days onsite training and installation for at				
1	east 2 personnel				
	Narranty: 12 months warranty for parts and services		-		
	After Sale Support: Attached and After-sale support certificate issued by the				
	manufacturer or seller that has the capability to do after sales support				
	after warranty, Attached certification of parts and availability issued by				
	the manufacturer for the project or seller				
	Delivery Lead Time: Onsite delivery, installation and commissioning at				
	project Location, Within 90 days upon received of Notice to Proceed			22 220 22	160,000.00
4	Desktop Computer with (complete set of repair tools)	2	units	80,000.00	180,000.00
	At least 3.8 ghz processor (4.7 ghz turbo overclock speed)				
	8 Cores, 16 threads newer gen.				
	atleast Memory: Single 16GB of DDR4 system memory				
	atleast Storage: 1TB 2.5 inch 7200 RPM + 8GB cache, 512GB SSD				
	at least Display: 24" display with IPS technology, Full HD 1920x1080x high-				
-	brightness LED-backlit TFT LCD 100% SRGB				
	atleast Graphics: NVIDIA GeForce GTX 1050Ti with 4GB of dedicated GDDR5	Ann - 43 - 50 - 50 - 50 - 50 - 50 - 50 - 50 - 5			
	VRAM				
	at least Operating System: Windows 11 (genuine licensed)				
	With productivity tools and antivirus software				
-	With complete accessories (optical mouse, keyboard, speaker, etc.)		-		
	Wifi capable	1	unit	90,000,00	90,000,00
	High End Laptop (with complete accessories)		Orin	70.000.00	
	Intel Core i7 10 Gen	-			
	16GB 2667 Mhz Memory DDDR4				
-	256GB SSD M2 Flash Storage		-		
-	ITB HDD Storage				
	1920 x 1080 FHD Resolution		-		
-	17.1 inch size		-		
-	Nvidia GeForce Gtx 1660 Ti 6GB GDDR6	-	-		
-	Windows 10 Genuine License			-	
-	With productivity tools and antivirus software	-			
+	Optical mouse	-			
H	Laptop bag	-	-		
-	Powerbutton separate from keyboard	1			

3,300,000.00

Prepared By:

ENGR. LOREIMAY B. ANDAYA

EDGAR BRYAN NICARE

BRYAN ARELLANO BAC - TWG