





Republic of the Philippines CAMARINES NORTE STATE COLLEGE

F. Pimentel Avenue, Brgy. 2, Daet, Camarines Norte - 4600, Philippines

OFFICE OF THE BAC CHAIRPERSON

July 30, 2024

ADDENDUM NO. 1

Series of 2024

SUPPLY AND DELIVERY OF VARIOUS IT SUPPLIES AND EQUIPMENT FOR CNSC

This Addendum No. 1 for the project, I SUPPLY AND DELIVERY OF VARIOUS IT SUPPLIES AND EQUIPMENT FOR CNSC

It is being issued in accordance with the Revised IRR of R.A. 9184 specifically Section 22.5.2.and 22.5.3.

This is to inform you of the revised Schedule of Requirements as modified during the pre-bid conference on July 24, 2024

This Addendum shall form integral part of the Bid Documents.

MARIA CRISTINA C. AZUELO, Ph.D. 9

dders:	
ame and Signature	

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number		Qty.	Unit	Total	Delivered, Weeks/Months
1	Desktop Computer with UPS	104	unit	5,185,053.00	45 days
	Processor : AMD RYZEN 5 3600				
	3.6GHZ (4.2GHZ MAX BOOST) 6				
	CORES 12 THREAD 32MB CACHE				
	Memory : 16 GB (2X8GB) DDR4 3200			1	
	Storage : 1TB HDD + 500GB SSD			7.	
	Display : At least 21.5" LED Monitor			3	
	Operating System: Licensed Windows 11 Home				
	Software : Licensed Office Home & Student 2021				
	Connectivity: WIFI/BT (Wifi 5 or 6, Gigabit lan)				
	Graphics Card : 4GB		A CONTRACTOR OF THE PARTY OF TH		
	UPS: at least 1500 VA				
	Wired Mouse and keyboard				
2	Entry- Level Server	1	unit	100,000.00	
	Processor : 8 CORE 16 THREAD				
	Mainboard : X570 with Wifi			9	
	Memory : 32GB (2X16GB) DDR4 3200		1		
	Harddrive : 2 TERABYTE HDD	/			
	Sata SSD : 1TB SATA III		1. 4. 4	-	
	Video Card : 8GB DDR6				

	Casing with Power Supply: 850WATTS 80+ GOLD FULLY MODULAR				
	Keyboard & Mouse : Wired KEYBOARD AND MOUSE				
	Monitor : 23.8 IPS 100HZ VGA/HDMI				
	UPS : 2,000 VA UPS				a company of the comp
	OS : LICENSED WINDOWS 11 PROFESSIONAL 64BIT OEM				
	Software : LICENSED MS OFFICE HOME AND STUDENT 2021				
3	Direct to Card ID Printer	1	unit	120,000.00	
	Printing : Print Mode - Dual Sided				
	Print Type - Direct Dye-Sublimation				Committee of the commit
	Print Area - Edge to Edge				
	Resolution - 300 dpi				
- P 14	Dual Sided Printing - Yes				
	Card : Card Feeding - Automatic				The second secon
	Card Size - ISO CR80				
	Card Thickness - 0.38mm (15mil), 0.76mm (30mil)		A CONTRACTOR OF THE CONTRACTOR		
	With Free 500 PVC Cards				
	Card Type - PVC, PET, Composite PVC				
-1	Print Speed: YMCKOK - 29 sec/card (124 cards/hour)				
	YMCKO - Max. 23 sec/card (156 cards/hour)				
y	Monochrome - 5 sec/card (720 cards/hour)			2	
	Capacity: Input Card Hopper - 80 Cards	/	A - A - A		4
- Lines	Output Card Hopper - 25 Cards				

	PVC card, 200 pcs				
	System : Memory - 64MB RAM				
	Supported Platforms - Microsoft Windows, Mac OS				Nig.
	Communication - USB, Ethernet (Option)				AMERICAN ELECTRICAL PROPERTY OF THE PROPERTY O
	With Free Software and Training				
	Consumables : Should include at least 2 sets of Ribbon				
4	Uninterruptible Power Supply Unit	5	unit	22,500.00	
	Output Power Capacity: 1200 VA				
	Output Power : 650 W				
	Battery type : Lead Acid Free				
;	Multi-Functional Printer	6	unit	120,000.00	
	Functions: Print, Copy, Scan, and Fax				
	Type : Inkjet Printer				Marie Control of the
	Print Speed: Draft - up to 33 ppm (Black), 20 ppm (Colored)				
	Features: ADF Capability, Ethernet and Wifi Direct, Automatic 2 sided				
	printing				
	Copy Function: Maximum Size, Legal via ADF				
	Resolution: 600 (horizontal) x 1200 (vertical) dpi				
	1200 x 1200 dpi - Optical Resolution (scan)			*	400
	25 - 19200 dpi - Selectable Resolution (scan)		A:		AND CONTRACTOR OF THE CONTRACT
	Uninterruptible Power Supply Unit - to merge in item no. 4	1	unit	15,000.00	

	Output Power Capacity: 1200 VA				
	Output Power : 650 W				
	Battery type : Lead Acid Free				
7	Internal SSD for Desktop Computer, 960GB, SATA III	2	piece	7,000.00	855
8	EXTERNAL HARD DRIVE, 1 TB HDD	1	piece	4,400.00	
	Capacity : 1TB Portable Solid-State Drive (SSD)				
	Interface : USB 3.0 or 3.2				
9	Studio Monitor	2	pair	40,000.00	
	Speaker Type: Dual Speaker				
	Special Feature: Hi Res Audio, USB port				
	Recommended use for product: Indoor and Outdoor				
	Compatible Devices: Projector, MP3 Player, Laptop, Desktop, Television, Tablet, Smartphone	+			
	Subwoofer Diameter: 8 inches (20.3cm)				
	Unit Cost: 6.0 Count				
	Surround Sound Channel Configuration: 2.0				
	Color: White				
THE RESERVE AND ADDRESS OF THE PARTY OF THE	Product Dimensions: 20.5"D x 14.7"Wx30.1"H (52.1x37.3x76.5cm)				
	Item weight: 45grams				
	Number of items: 4 pair				
	Control Method: voice	1	Yere and the second		
	Speaker size: 8 inches (20.3cm)				
7-1	Tweeter Diameter: 1.5 inches (3.8cm)		1		
	Power Source: Corded Electric		(•

	Audio Driver Type: Dynamic Driver				
	Audio Driver Size: 8 inches (20.3cm)				
	Subwoofer Connectivity Technology: Wired				Kin.
	Connectivity Protocol: USB		-gg/g		
	Speaker Maximum Output Power: 500Watts				
	Connectivity Technology: Auxiliary				
	Audio Output Mode: Stereo				
	Mounting Type: Table Top		\		
10	Backdrop and Green Screen	2	set	30,000.00	
	Color: Green				
	Material: Non-woven fabric				*
	Size: 1.5*2m/5*7ft				V.
	Stand size: 1.5*2m/5*7ft				April 2010 6000 6000 6000 6000 6000 6000 6000
	Material: Metal				
	Package List: Green Backdrop, Stand, Spring Clamps				
11	Lavalier Microphones	4	piece	28,000.00	
	Specification:				
	Wireless Technology: Digital				
	Included Transmitters: 2x Clip-on with microphone				
	Diversity: Non Diversity				4144
	Max Operating Range: 164'/50m				
	Receiver Type: Plug-in (USB-C)	-			
	Microphone Type: Built in (Transmitter)				
	Polar Pattern: Omnidirectional	17	1. 1		
	RF Channel Scanning: Auto-Scan	1			

	Max Transmitters per band: 2				
	Built-in recorder: No				
	Mobile App Compatible: No				
	SNR: 80dB				\$55.
	Mounting Options: Plug-in (with included hardware)				
	Antenna: Internal				
	Transmitter Type: Clip-On with Microphone				
	Muting: Off/On Switch				
	Sync Method: 2.4 GHz QPSK				
	Battery Type: 1x Built-in Rechargeable			The state of the s	
	Internal Battery Capacity: 94mAh			1 1	
	Battery Charging Time: 2 Hours				
	USB/Lightning I/0: USB-C (Charging)				
	Sound Filed: Mono				
	Frequency Range: 20Hz to 16KHz				
	Sensitivity: -42dB				
	Box Dimensions (LxWxH): 5.3x3.35x12"				1
12	External Hard Drive, 5TB	2	unit	20,000.00	
	Product Type: 2.5" external hard drive				
	Memory Capacity: 5TB				
	Interface: USB 3.2 1st Gen (USB 3.0)				
	Formatted according to : Windowa				
	Storage media feautes: 256-bit AES encryption				
13	Uninterruptible Power Supply Unit	1	unit	25,000.00	-03
	Nominal Power: 1500VA		1-1-7-		
	No. of output: 6x	1			

with surge protection: 6				
of which battery-buffered: 3	-		-	
Output: PC socket				
Features: LCD				- K-1
Briding time normal load: 14min				
Briding time max load: 3min				
	Output: PC socket Features: LCD Briding time normal load: 14min	of which battery-buffered: 3 Output: PC socket Features: LCD Briding time normal load: 14min	of which battery-buffered: 3 Output: PC socket Features: LCD Briding time normal load: 14min	of which battery-buffered: 3 Output: PC socket Features: LCD Briding time normal load: 14min

NAME AND SIGNATURE

SRECEIVED S