



Management System
ISO 9001:2015
www.tuv.com
ID 9108663506



Republic of the Philippines
CAMARINES NORTE STATE COLLEGE
F. Pimentel Avenue, Brgy. 2, Daet, Camarines Norte – 4600, Philippines

ADDENDUM NO. 1

NOTICE OF POSTPONEMENT OF SUBMISSION AND OPENING OF BIDS


Name of the Project: Supply and Delivery of I.T. Equipment, Closed-Circuit Television (CCTV) and Camera for the College of Education, Agriculture and Natural Resources and Entienza Campus -2nd Publication

SUBMISSION OF BIDS (new date)	OPENING OF BIDS (new date)
December 27, 2023 at 8:30 A.M. RECORDS OFFICE 2 nd Floor, General Administration Building Camarines Norte State College Daet, Camarines Norte	December 27, 2023 at 9:00 A.M. Office of the VP for Administration and Finance 2 nd Floor, General Administration Building Camarines Norte State College Daet, Camarines Norte

Please find attached drawing (sketch) in the installation of the CCTV camera at the College of Education, Daet, Camarines Norte

The revised Schedule of Requirements is also attached for your reference.


MARIA CRISTINA C. AZUELO, Ph.D.
VP for Administration and Finance
BAC Chairperson



- LEGEND :**
- ① CENTRAL BUTTER OIL PROCESSING BUILDING
 - ② COVERED COURT/ CENTRAL LIBRARY/ CLINIC
 - ③ ACADEMIC BUILDING 1 (2-STORY)
 - ④ ACADEMIC BUILDING 2 (3-STORY)
 - ⑤ ACADEMIC BUILDING 3 (3-STORY) CATERING/PAVING AREA
 - ⑥ ALBERG BUILDING
 - ⑦ DORMITORY/STAFF HOUSING
 - ⑧ COOPERATIVE/SOCIAL HALL
 - ⑨ PARKS AND OPEN AREA
 - ⑩ POWERHOUSE
 - ⑪ SMALL PEDESTRIAN GATE
 - ⑫ ELEVATED WALKWAYS

- TREES**
- SHREVEA MACADAMIA BANIGAWAY TREE
 - CANTONIA QUARTZ (PL. TREE)
 - MANGROVA BOCCA (MANGROVE TREE)
 - ANACARDIUM LUTE FERNANDEZ (ANACARDIUM TREE)
 - FICUS ELASTICA (BANYAN TREE)
 - POLYALTON LONICERA (FRUIT TREE)
 - PTEROCARPUS HODGKINSII (FRUIT TREE)



SCHOOL SITE DEVELOPMENT PLAN
CAMARINES NORTE STATE COLLEGE
ABANO-DAET CAMPUS

PROJECT TITLE	PROJECT LOCATION	DESIGNED & PREPARED BY	DESIGNED BY	CHECKED BY	APPROVED BY	DATE
AS SHOWN		<i>[Signature]</i> L. ARCH. SANDINO M. QUINTO	<i>[Signature]</i> DR. EDGAR P. ABAN CHIEF ARCHITECT	<i>[Signature]</i> ENGR. RUTH A. RACCA SIC. CHIEF	<i>[Signature]</i> ENGR. ASER N. DINO, M. ENGR. PHYSICAL PLANNING DIVISION CHIEF	<i>[Signature]</i> MARIA CRISTINA C. AZUELO, PhD. OFF. CHIEF, PLANNING & FINANCE <i>[Signature]</i> DR. MARLON DE LA CRUZ, PECE PRESIDENT

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	Description	Quantity	TOTAL	DELIVERED, WEEKS/MONTHS
1	<p>Laptop Operating System : Windows 11 Home 64. Productivity Suite: MS Office Home and Student Processor: At least 8 cores, 16 threads Graphics Card : 2 GB Dedicated VRAM - Screen size 14-15.6" only Memory : 16 GB DDR5-5200MHz (SODIMM) - (2 x 8 GB) Storage : 512 GB SSD M.2</p>	5	5	Within forty five (45) days upon receipt of the Notice to Proceed (NTP)
2	<p>75 Inch Interactive Whiteboard 4K UHD resolution and 178-degree wide angle that provides crystal clear without any distortion. Teleconferencing/ Smart-Teaching (Miracast, multi-screen interaction wireless projection, APP Control Floor Stand (Portable and convenient) Writing Methods: Finger/ Pen touch Size: 75 inches to 80 inches Touch mode: Infrared touch Installation ways: Floor Stand Response time: <5ms Network: LAN/WIFI With HDMI connection</p>	2	2	Within forty five (45) days upon receipt of the Notice to Proceed (NTP)
3	<p>Projector with wide screen RGB liquid shutter projection system LCD: 0.61" wide panel (C2 Fine) Native Resolution: 1080 p Lamp: Type: Lamp 210W UHE Lamp Life: High; 6,000/Eco:12,000 hours Projection Lens: Type: Optical zoom (Manual)/Focus (Manual) Throw ratio: 1.02-1.23 (Wide-Tele) Zoom ratio : 1-1.20 Focal length : 14.06-16.82mm F-number:1.58-1.7 Dimension Excluding Feet (WxHxD): 302x87x249mm with condensing bracket and installation</p>	2	2	Within forty five (45) days upon receipt of the Notice to Proceed (NTP)

	Color Light Output: 3,400 Lumens			
4	CCTV Surveillance System with Installation Network Video Recorder	1	1	Within forty five (45) days upon receipt of the Notice to Proceed (NTP)
	*16 channels *Supports up to 6 TB SSD Storage *At least 7 days of recording before overwriting *Supports live viewing via Mobile Phone 10 pcs Outdoor IR Cameras, PTZ Camera At least 5 MP Infrared Outdoor Camera Motion Detection Storage: With 2 TB SSD Includes installation, wiring and other equipment and accessories like PoE switch and connectors			
	Note: Location map for the installation of CCTV will be provided upon issuance of bid documents			
5	DSLR Camera (body and lens kit) with Bag 24.2 Megapixels Processor Type: DIGIC X LCD Monitor size: 3" Closest Focusing Distance: 20 (AF, f=18mm), 15 (MF, f=18mm) Focal Length: 29-72mm Lens: S18-45mm Storage: With 128 GB compatible memory card	1	1	Within forty five (45) days upon receipt of the Notice to Proceed (NTP)

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	Laptop	
	Operating System : Windows 11 Home 64.	
	Productivity Suite: MS Office Home and Student	
	Processor: At least 8 cores, 16 threads	

	Graphics Card : 2 GB Dedicated VRAM - Screen size 14-15.6" only	
	Memory : 16 GB DDR5-5200MHz (SODIMM) - (2 x 8 GB)	
	Storage : 512 GB SSD M.2	
2	75 Inch Interactive Whiteboard	
	4K UHD resolution and 178-degree wide angle that provides crystal clear without any distortion.	
	Teleconferencing/ Smart-Teaching (Miracast, multi-screen interaction wireless projection, APP Control)	
	Floor Stand (Portable and convenient)	
	Writing Methods: Finger/ Pen touch	
	Size: 75 inches to 80 inches	
	Touch mode: Infrared touch	
	Installation ways: Floor Stand	
	Response time: <5ms	
	Network: LAN/WIFI	
	With HDMI connection	
	75 Inch Interactive Whiteboard	
3	Projector with wide screen	
	RGB liquid shutter projection system	
	LCD: 0.61" wide panel (C2 Fine)	
	Native Resolution: 1080 p	
	Lamp:	
	Type: Lamp 210W UHE	
	Lamp Life: High; 6,000/Eco:12,000 hours	
	Projection Lens:	
	Type: Optical zoom (Manual)/Focus (Manual)	

	Throw ratio: 1.02-1.23 (Wide-Tele)	
	Zoom ratio : 1-1.20	
	Focal length : 14.06-16.82mm	
	F-number:1.58-1.7	
	Dimension Excluding Feet (WxHxD): 302x87x249mm	
	with condensing bracket and installation	
	Color Light Output: 3,400 Lumens	
4	CCTV Surveillance System with Installation Note: only materials for installation	
	Network Video Recorder	
	*16 channels	
	*Supports up to 6 TB SSD Storage	
	*At least 7 days of recording before overwriting	
	*Supports live viewing via Mobile Phone	
	10 pcs Outdoor IR Cameras, PTZ camera	
	At least 5 MP Infrared Outdoor Camera	
	Motion Detection	
	Storage: With 2 TB SSD	
	Includes installation, wiring and other equipment and accessories like	
	PoE switch and connectors	

	Includes installation, wiring and other equipment and accessories like PoE switch and connectors	
5	DSLR Camera (body and lens kit) with Bag	
	24.2 Megapixels	
	Processor Type: DIGIC X	
	LCD Monitor size: 3"	
	Closest Focusing Distance: 20 (AF, f=18mm), 15 (MF, f=18mm)	
	Focal Length: 29-72mm	