



Management System
ISO 9001:2015
www.tuv.rwth-ai.ch
ID B10663306



OFFICE OF THE BAC CHAIRPERSON

May 7, 2024


ADDENDUM NO. 1 Series of 2024

This Addendum No. 1 for the project, ***Supply and Delivery of Various IT Supplies and Equipment for Camarines Norte State College***

It is being issued in accordance with the Revised IRR of R.A. 9184 specifically Section 22.5.2. and 22.5.3.

Please find attached copy of the Revised Section VI- Schedule of Requirements.

This Addendum shall form integral part of the Bid Documents.


MARIA CRISTINA C. AZUELO, Ph.D.
BAC CHAIRPERSON

Bidders:

Name and Signature _____

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number		Qty.	Unit	Total	Delivered, Weeks/Months
1	Desktop Computer with UPS Processor 3.6GHZ (4.2GHZ MAX BOOST) 6 CORES 12 THREAD 32MB CACHE Memory : 16 GB (2X8GB) DDR4 3200 Storage : 1TB HDD + 500GB SSD Display : At least 21.5-23'' LED Monitor Operating System : Licensed Windows 11 Home Software : Licensed Office Home & Student 2021 or newer version Connectivity : WIFI/BT - at least WIFI5802.11 AC, gigabit lan Graphics Card : -at least 4 gb UPS - 1200 va	12	unit	568,000.00	45 days
2	Multi-Functional Printer Functions : Print, Copy, Scan, and Fax Type : Inkjet Printer Print Speed : Draft - up to 33 ppm (Black), 20 ppm (Colored) Features : ADF Capability, Ethernet and Wifi Direct, Automatic 2 sided printing Copy Function : Maximum Size, Legal via ADF Resolution : 600 (horizontal) x 1200 (vertical) dpi 1200 x 1200 dpi - Optical Resolution (scan) 25 - 19200 dpi - Selectable Resolution (scan)	22	unit	417,500.00	45 days
3	Uninterruptible Power Supply Unit Output Power Capacity : 1200 VA	7	Unit	41,000.00	45 days

	Output Power : 650 W Battery type : Lead Acid Free				
4	Laptop Computer Processor : at least 6 cores 12 threads Memory : 8GB Storage : 512GB M.2 SSD Display : 14-15.6" Display Operating System : Licensed Windows 11 Home Software : Licensed Office Home and Student 2021 or newer version Connectivity : WIFI/BT - atleast wifi 5 802.11 AC and gigabit lan Graphics Card : 4GB	4	Unit	200,000.00	45 days
5	DSLR Gimbal model Accessory Connections: 1/4" Mounting Hole, 3/8" Mounting Hole, Camera Control Port, Accesory Port, USB-C Port RSA Port Intelligent Battery Type: 18650 LiPo Capacity: 2450 mAh Power: 17.64 WH Max Battery Life: 11h Charging Time: 2.5h (5V/2A) Charging Temperature: 5° to 40°C(41° to 104°F) Connections: Bluetooth 5.0, USB-C Mobile Assistant Software Requirements: iOS9 or above; Android 5.0 or above	1	Unit	35,000.00	45 days

6	360 Action Camera Aperture: F1.9 35mm Equivalent Focal Length: 6.7mm Sensor: 1/2" Min. aperture: F16 Photo Resolution: 72MP (12000x6000) 18MP (6000x3000) 5.7K@30/25/24fps 4K@60/30fps Video Resolution Single Lens Mode: 4K@30/25/24fps 3.6K@60/50/30/25/204 2.7K@60/50/30/25/24 1080P@60/50/30/25/2 Battery: 1800mAh Bluetooth: BLE 5.0 Screen & Buttons: 2.29" large touchscreen, 4 operational button Photo and Video Modes: Standard, HDR, Burst, Interval, Starlaps Standard, Active HDR, Timelapse, Timeshift, Bullet Time, Loop Recording Live Streaming: 360 Live, Reframe Live Dimensions (WxHxD) - 114.0x46.0x22.5mm SD card - at least 64 gb	1	Unit	37,000.00	45 days
7	Fujifilm WR Lens - model Focal Length: f=27mm (41mm in 35mm format equivalent) Angle of view" 55.5° Max. aperture: F2.8 Min. aperture: F16 Aperture Control: Number of blades: 7 (rounded diaphragm opening) Step size: 1/3EV (16 steps) Focus range: 34cm - ~ Max. magnification: 0.1x External dimensions: Diameter x Length*1 (approx.): Ø62mm x 23mm Weight*2 (approx.):84g Filter size: Ø39mm	1	Unit	25,000.00	45 days
8	Wireless Microphone Frequency Band : 16 Groups, 90 UHF Channels	5	set	50,000.00	45 days

	Display : LCD display function Battery Type : Rechargeable Lithium battery (18500) - with charger Battery Charging : USB port. Audio Output : Balance XLR and unbalanced TRS audio output Wireless connection : Dual Antenna True Diversity receiving system. Infrared Synchronize.				
9	Dot Matrix Printer No. of Head Pins : 24 pins Print Method : Impact Dot Matrix Print Direction : Bi-direction with Logic Seeking High Speed Draft : 10cpi: 347 cps 12cpi: 416 cps Draft : 10cpi: 260 cps 12cpi: 312 cps 15cpi: 390 cps (Condensed) 17cpi: 222 cps (Condensed) 20cpi: 260 cps Letter Quality : 10cpi: 86 cps 12cpi: 103 cps 15cpi: 129 cps (Condensed) 17cpi: 147 cps (Condensed) 20cpi: 172 cps	3	unit	58,000.00	45 days
10	HDMI CABLE - double check to EU Length : 10 meters Resolution : Full HD Version : At least 2.0	38	piece	19,000.00	45 days
11	UTP / LAN CABLE Type of Cable : CAT6 Outdoor cable Length : 305 meters per roll	1	box	7,000.00	45 days
12	EXTERNAL HARD DRIVE, 1 TB HDD Capacity : 1TB Portable Solid-State Drive (SSD) Interface : USB 3.0 or 3.2	3	unit	13,401.00	45 days
13	Wireless Presenter Laser : 2 Laser, 1-meter max output, red light (640 – 660nm) Connectivity : 2.4 GHz wireless technology, approx: 10m working distance	1	unit	2,000.00	45 days

	Battery : AAA Battery or AA battery or with built-in battery				
14	Rechargeable Digital Voice Recorder Recording Format : MP3/LPCM Storage : At least 4 GB Built-in Storage Features : Built-in Background Noise reducer USB interface for storing saved recordings in PC Built-in Rechargeable Battery Extra Storage : 128 GB Compatible Memory Card	1	unit	20,000.00	45 days
15	Multimedia Projector Projection Technology : RGB liquid crystal shutter projection system (3LCD) Brightness : White Light Output (Normal/Eco) -4000 lm Colour Light Output -4000 lm Analog Input : Composite: 1 RCA, D-Sub 15pin: 1 Digital Input : HDMI: 1 Audio Input : 2RCA (White & Red): 1 Contrast Ratio : 16,000:1 Resolution : WXGA (1280 x 800) Aspect Ratio : 16:10 Throw Ratio : 1.30 – 1.56 (Wide to Tele)	1	unit	35,000.00	45 days
16	Battery (for Action Camera) Compatible with insta360 X3 Battery chemistry: Lithium-Ion Battery Capacity: 1800 mAh Output Voltage: 3.85 VDC Charging Power: 4.4 VDC Recharge Time: 90 minutes Maximum Battery Life: 81 minutes Environmental Operating Temperature: -4 to 104°F / 20 to 40°C	5	unit	12,500.00	45 days

	Charging Temperature: 32 to 104°F / 0 to 40°C **Compatible to item no. 6 With charger				
17	Dive Case (Action Camera) Material: Polycarbonate Weight: 131g (4.6oz) Water Resistance Level: Waterproof Production Dimensions: 153.9x67.0x83.7mm (6.0x2.6x3.3in) **Compatible to item no. 6	1	unit	5,500.00	45 days